MISSOURI BOTANICAL GARDEN
PETER H. RAVEN LIBRARY



GEORGE ENGELMANN BOTANICAL NOTEBOOKS

Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

231-241

SURGICAL CASES.

ART. III.—*A Peculiar Manner of Ligating the Carotid Artery.* By JOHN T. HODGEN, M. D., Professor of Physiology in the Saint Louis Medical College.

A soldier having received a gun shot wound, July3d, whilst i the trenches at Vicksburg, was removed from the regimenta hospital to the U. S. Hospital Steamer Crescent City for trans portation to Memphis.

On examining the case it was found that the ball had entere the mouth and escaped just above the angle of the lower jaw (the right side.

The patient was prostrated from the loss of blood, though n hemorrhage had occurred for the last two days. On the morn ing of the 9th, I was called in haste by the nurse, who informe me that the patient was bleeding to death. I found arteria blood flowing freely from the wound and mouth. I immediatel plugged the wound with lint, saturated with a solution of pe chloride of iron, and held a roll of the same material saturate in like manner to the spot from which the blood issued inside

9157

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

XXV. An important indication is to maintain or restore rganic forces to a condition equal to the task of eliminating he virus. This is best obtained by a tonic and sustaining ourse, and namely: 1, by a nourishing and substantial diet, to vhich may be added the use of some pure old wine or light timulants; 2, by the breathing of pure air, walks in the country, nd frequent bathing; 3, by sufficient quiet sleep; 4, a residence n a dry room, well exposed to the light of the sun; 5, by a quiet, egular and continent life; 6, by the abstention of tobacco, for obacco keeps up and propagates syphilis; it keeps it up, for ıucous patches are not cured so long as the patient smokes; obacco propagates syphilis, because a pipe-stem may transmit he virus.

XXXVI. Tertiary syphilis is not one of the periods of syph-lis; it is syphilis which, from an enpoisoning, has become a iathesis, which, from an essentially transitory has passed into n essentially permanent state. It is not contagious; it is due o either the force of the virus or to the want of resistance of

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Ipomoea castanea Smith Aug 19 1865

Colorado, Hall, 566

x60

x10

In one instance seen 7 complete and an 8th incomplete stamen

x60

Testa loose easily removed from seed

3½ mm long

Test. quite ripe

seed stripped of testa

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

ALEX. LEITCH.

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

9158

cm 0 1 2 3 4 5 6 7 8 9 10
Copyright reserved
MISSOURI BOTANICAL GARDEN

T. castaneus

Nov 22 1865

Norway = Hb of Gray



Capsule (as in stigma) nearly 3 lobular below, 1-celled above, the placentae not reaching to top.

seed stripped of testa individually reticulate

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9159

ALEX. LEITCH

APOTHECARY & PHARMACEUTIST,

COR. 4TH & OLIVE STS., ST. LOUIS.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

I. Castaneus

Nov 22 1865

I. N. 5, Kumaon, 11300 feet high

R. Strachey & J. E. Winterbottom

= H.C. Gray

herb. paniculata

4 – 8 – nerved

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Alex. Lerch,

APOTHECARY & PHARMACEUTIST,

COR. 4TH & OLIVE STS., ST. LOUIS.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Nov 22 1865

Impatiens oxetanum.

Sikkim & Himalaya

Hooker f. & Thomson

oft pannilate!

Inner sepals usually longer than outer ones, I find no other
and Gordon difference

The slender-spalled variety coll by Strachey &
Winterbottom (Impatiens n° 2. 3 & 4) fr Himalaya
& Tibet & Kumaon, have short stems, — &
long pedicels rapsules as long or even shorter than
sepals — These are equal, or the inner one a little
shorter —

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

ALEX. LEITCH,

APOTHECARY & CHEMIST,

Cor. 4th and Olive Sts., St. Louis.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

1916

Nov 22 1865

Junos N. 3

Kumaon, 14500'

Strachey & Winterbottom



copyright reserved

MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

9162

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

L. Castaneus

Mont 19 1866

Scut of leaf ×10

Lapponia

Colorado

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9163

ALEX. LEITCH,

APOTHECARY AND CHEMIST,

Marble Building, Cor. Fourth and Olive Streets,

ST. LOUIS, MO.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Koch Syn. R. germ mentions in D. enum
Castaneus & others the length & proportion of
of Cauly & anthers.
Kunth speaks of the shape of seeds — also others



MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

h916



Feb 20 1868

J. castaneus

Norway

epidermis, a very
loose sac
×150



Surface of nucleus (not quite ripe?
×150
more - retinol

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9165

ALEX. LEITCH,

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St. Louis, Mo.

MISSOURI BOTANICAL GARDEN
SCIENCE EXCELLENCE PASSION

0 cm 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

Genus Castanea

	H. Phila	Gray	Engler
Saskatchewan (mixed with Corylus sp.)		Boreyeau	
Carlton House to Hudson Bay		Drummond ex pellicles	(Dr)
Colorado	358	Torr 358	358
	560	Hall 560	560
Sin Leechtenthalz		Chamisso	(Ch)
Clear Lake !		Richardson	



ALEX. LEITCH,

APOTHECARY & PHARMACEUTIST,

COR. 4TH & OLIVE STS., ST. LOUIS.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

9916

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Oct 23 1865

Seed enrige

Impat. Lehmanni E Meyer = H.C. Hook

I. castanea B. pallida Hook H.

Bot. II 192

Cumberland House to Hudsons Bay

Drummond August

(ex H Gray)

12–15 inches high

branches second

distant heads

few flowered.

Capsule obtuse

3 angulate

Seed of stem

nearly terete

hollow

9167

ALEX. LEITCH,

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St. Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

August.....	3	.....	1	.....	1	2 .....
September.....	4	.....	.....	1	4	8 .....
October	3	1	1	1	7	1 .....
November	2	3	.....	7	.....	7 .....
December	2	3	.....	.....	.....	6 .....
	50 + el.	36 + el.	23 — el.	28 — el.	15 no el.	34 no el.

Snowing was accompanied

	By Positive Electricity.		By Negative Electricity.		By no Electricity.	
	In 1861.	In 1862.	In 1861.	In 1862.	In 1861.	In 1862.
January.....	3	9	.....	2	.....	.....
February	12	8	.....	1	.....	.....
March	3	12	.....	.....	.....	.....
October.....	.....	1	.....	.....	.....	.....
November	.....	4	.....	.....	.....	.....
December	5	2	2	.....	.....	1 .....
	23 + el.	36 + el.	2 — el.	3 — el.	.....	1 no el.

REMARKS.

The monthly mean of atmospheric electricity in 1862 was not quite so regular as that in 1861. While in 1861 an un-

217-223

0 cm 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

December; the second with a mean electricity by the months of March, April, May and October; and the third with the lowest electricity by the months of June, July, August and September.

The aggregate monthly mean of

The first group in 1861 is	52.9	—in 1862,	54.6
The second	"	"	33.5	"	35.2
The third	"	"	14.1	"	10.5

Thus in 1861 the third group prevailed, and in 1862 the first and second. But these differences are so well balanced throughout the year, that the mean of the whole year in 1861 and in 1862 is exactly the same, namely, 8.4. Such an identity in the yearly result, even to decimals, is of course not to be expected every year; but it seems to prove, at least, that the yearly mean of electricity is as constant as that of temperature, of relative humidity, and of atmospheric pressure.

The third table, showing the daily periodicity of atmospheric electricity, confirms the daily two maxima and two minima of electricity as an undeniable fact.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS
8916

Smeras Stygius
Jeffers— Co Ny.

Aug 19 1861—

x60

x10



top view

interior sepals less acute and sometimes a little longer than outer ones

Sac striped on the back

irregularly retiform

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9169

ALEX. LEITCH.

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St. Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

Nov 15 1865

Iamus stygius

Richibucto New Brunswick

James Fowler 1856



0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

ALEX. LEITCH,

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St. Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0217b

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

L. stygicus Nov 21 1865-
Christiania, Blytt - Hb Grev



sepals all obtuse
inner sepals a little longer
in other they are equal

placenta on lower part of valve

base!

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

ALEX. LEITCH

APOTHECARY & PHARMACEUTIST,

COR. 4TH & OLIVE STS., ST. LOUIS.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 cm 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

over

Buchenau in Cattar, Jan 10 1867, det Agardh

D. Stygius europaeus

Capsula sensim acuta
breviter mucronata
1/2 exserta
Semen testa striata
dense, appendice
brevi

Anacistrocarpus

abrupte in acumen
elongatum producta
1/4 exserta
sep. angustiora longe
acuminata
testa alba perlucens
appendice longitudi

APOTHECARY & PHARMACEUTIST,
COR. 4TH & OLIVE STS., ST. LOUIS.



0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Pinnae thyrsiformes March 1866

Flowers and seeds ♀ Lower spikes smaller,
capsule acute, long exserted

♂ Spikes longer, capsule ovate
not as long exserted

Sepals said to be acute by Lindheimer; I find
them obtuse, especially the inner ones, outer ones
often acutish —

Sepals equal, or outer ones a little shorter
or a little longer

Slight short pencil, quite peculiar
already noted by Lindheimer

GEORGE ENGELMANN PAPERS
MISSOURI BOTANICAL GARDEN

Arizo

C17b

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

I. Stygius

Ho Ohio Gray Engelm

Goodell

north Maine

Jeff. Co. N.Y. Gray Wood Gray Wesey Gray Wesey

New Brunswick Fowler

Lake Superior O.B. Wheeler

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

ALEX. LEITCH

APOTHECARY & PHARMACEUTIST,

COR. 4TH & OLIVE STS., ST. LOUIS.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS
9173

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

L. stygium

March 19 1866

suck of leaf & stem ×10 ×20

ought to be turned up

leaves

stem

leaf of New York specimen fresher and greener than New Brunswick sp

New Brunswick

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

4716

ALEX. LEITCH,

APOTHECARY AND CHEMIST,

Marble Building, Cor. Fourth and Olive Streets,

ST. LOUIS, MO.

MISSOURI BOTANICAL GARDEN ENGELMANN PAPERS

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

Feb. 20 1868

I. stygius

Maine

epiderm
(very lax)

x 150



surface of marbles (not quite
ripe?)

x 150

irregularly angular
reticulate

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9175

ALEX. LEITCH,

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St. Louis, Mo.

MISSOURI BOTANICAL GARDEN
PEABODY ELEMENTARY
MISSOURI BOTANICAL GARDEN
LIBRARY

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN